

Art Unit: 1600

CLMPTO

08/14/2002

JM

CLAIM 1 (ORIGINAL)

1. A composition comprising a conjugate of an antibody exhibiting binding specificity for an extracellular epitope of c-erbB-2 protein and a plant derived toxin, wherein said toxin is pharmacologically effective against neoplastic cells and is selected from the group consisting of gelonin, full length recombinant gelonin, functional gelonin fragments and functional gelonin derivatives, wherein said plant derived toxin has a lower effect on cell death or arrest of cellular growth when not conjugated to said targeting moiety.

CLAIM 2 (ORIGINAL)

2. The composition of Claim 1, wherein said antibody is an intact full-length immunoglobulin.

CLAIM 3 (ORIGINAL)

3. The composition of Claim 1, wherein said antibody is an intact full-length immunoglobulin.

Art Unit: 1600

CLAIM 4 (ORIGINAL)

4. The composition of Claim 1, wherein said antibody is an Fv fragment, and the V_H peptide is conjugated with said toxin.

CLAIM 5 (ORIGINAL)

5. The composition of Claim 1, wherein said antibody is an sFv, and the V_L peptide is conjugated with said toxin.

CLAIM 6 (ORIGINAL)

6. The composition of Claim 1, wherein said antibody is a single chain antibody.

CLAIM 7 (ORIGINAL)

7. The composition of Claim 1, wherein said conjugate is a fusion protein between said antibody and said toxin.

CLAIM 8 (ORIGINAL)

8. The composition of Claim 7, wherein said composition is recombinantly produced by fusing the gene encoding said antibody to the gene encoding gelonin.

Art Unit: 1600

CLAIM 9 (ORIGINAL)

9. The composition of Claim 1, wherein said antibody is selected from the group consisting of TAb 250 and BACH-250.

CLAIM 10 (ORIGINAL)

10. A pharmaceutical composition comprising the composition of claim 1 and a pharmaceutically acceptable vehicle.

CLAIM 11 (ORIGINAL)

11. A method of treatment against neoplastic cells, comprising the step of administering an effective dose of the composition of Claim 1 to said cells.

CLAIM 12 (ORIGINAL)

12. The method of Claim 11, wherein said neoplastic cells are characterized by over-expression of c-erbB-2 protein.

CLAIM 13 (ORIGINAL)

13. The method of Claim 11, wherein said neoplastic cells are selected from the group consisting of mammary carcinoma cells, ovarian carcinoma cells, lung carcinoma cells, salivary gland carcinoma cells, gastric tumor cells, colon adenocarcinoma cells, and bone marrow leukemia cells.

Art Unit: 1600

CLAIM 14 (ORIGINAL)

14. The method of claim 11, wherein said treatment is used against neoplastic cells in a human or an animal.

CLAIM 15 (CANCELLED)

16. (amended) A composition comprising a fusion protein of tumor necrosis factor to a single chain antibody exhibiting binding specificity for an extracellular epitope of c-erbB-2 protein.

17. (amended) The composition of Claim 16, wherein said fusion protein is recombinantly produced by fusing a gene encoding said single chain antibody to a gene encoding said tumor necrosis factor.

18. (amended) The composition of Claim 16, wherein said single chain antibody is scFv-23.

Art Unit: 1600

CLAIM 19 (CANCELLED)

CLAIM 20 (ORIGINAL)

20. A method of treatment against neoplastic cells, comprising the step of administering an effective dose of the composition of Claim 19 to said cells.

CLAIM 21 (ORIGINAL)

21. The method of Claim 20, wherein said neoplastic cells are selected from the group consisting of mammary carcinoma cells, ovarian carcinoma cells, lung carcinoma cells, salivary gland carcinoma cells, gastric tumor cells, colon adenocarcinoma cells, and bone marrow leukemia cells.